










TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES						
Verdichter/Compressor/Compresseur		Aspera				
Typ/Type		EMZ26CLP				
Förderleistung/Delivery/Débit	l/h	934				
Anlaufstrom/Starting current/Cour de démarrage	A	2,4				
Widerstand/Resistance/Résistance	Ha/main/prin	W	42,7			
	Hi/aux	W	28,9			
Temp.-Regler/Thermostat						
Typ/Type						
Regelstellung/Position						
Schaltwerte/Switching values	"warm"					
Valeurs de commutation	"kalt"					
	"alarm"					
Füllmenge/Fill.quantity/Charge	R600a	*				
Anschlußwert/Conn.load/Puiss. connectée	W	67				
Heizung/Heater/Chauffage						
Widerstand /Resistance/Résistance	W					
Leistung/Power/Puissance	W					
Ventilator/Blower/Ventilateur						
Widerstand /Resistance/Résistance	W					
NTC-Fühler / Sensor		°C	kW	°C	kW	
		+10	9,95 \$0,18	-18	43,31 \$1,10	
		+5	12,70 \$0,18	-22	54,66 \$1,59	
		0	16,33 \$0,16	-26	69,42 \$2,29	
Magnetventil/Magnetic valve/Electrovanne						
Widerstand/Resistance/Résistance	W					
Spannung/Voltage/Tension	V					

* siehe Typenschild