




Gebrauchsanweisung
51 3746
(D,GB,F,I,NL)
Montageanleitung
51 4779
(D,GB,F,I,NL,DK,N,
S,SF,E,P)
Schraubensatz
08 4136


1) 02 9480


Zubehör:

Dekorrahmen
Z4160B0, braun
Z4160W0, weiß

Ausgleichsblenden
braun:
Z4210B0, 37mm
Z4220B0, 56mm

Alu:
Z4210A0, 37mm
Z4220A0, 56mm





Pos.			
	Danfoss		
	TLES 9 K		
1	14 1308		
2			
3	15 1055		
4			
5	15 0760		
6	15 1072		
7			
8	28 1825		
9	05 0166		
10	05 9467		
11	08 4744		
12	05 6008		

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES

Verdichter/Compressor/Compresseur		Danfoss		
Typ/Type		TLES 9 K		
Förderleistung/Delivery/Débit	l/h	1589		
Anlaufstrom/Starting current/Cour. de démarrage	A			
Widerstand/Resistance/Résistance	Ha/main/prin. Ω			
	Hi/aux Ω			
Temp.-Regler/Thermostat				
Typ/Type				
Reglerstellung/Position				
Schaltwerte/Switching values/	„ein“ $^{\circ}\text{C}$			
Valeurs de commutation	„aus“			
(„abtauen“ od.)	„alarm“			
Füllmenge/Fill.quantity/Charge	R600a	g	*	
Anschlußwert/Conn.load/Puiss. connectée		W	120	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		Ω		
Leistung/Power/Puissance		W		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		Ω		
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		Ω		
Spannung/Voltage/Tension		V		

* siehe Typenschild