










Pos.	EU1,CH1,E1	EU2,CH2,E2	
	Matsushita FN 91 Q 17 G	Matsushita D119LRAA	
1	14 0359	14 0560	
2			
3	02 6742	03 2035	
4			
5			
6	05 6077	05 8458	
7	02 6731	02 6731	
8	11 1919	11 1919	
9	05 0166	05 0166	
10			
11	08 5182	08 509	
12	05 6008	05 6008	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES

Verdichter/Compressor/Compresseur		Matsushita FN 91 Q 17 G	Matsushita D119LRAA	
Typ/Type				
Förderleistung/Delivery/Débit	l/h	1633	1384	
Anlaufstrom/Starting current/Cour. de démarrage	A	11,7	9,6	
Widerstand/Resistance/Résistance	Ha/main/prin.	Ω	8,6	11,0
	Hi/aux	Ω	30,5	26,7
Temp.-Regler/Thermostat		Ranco K 59		
Typ/Type				
Reglerstellung/Position		kalt	warm	
Schaltwerte/Switching values/	„ein“	+4,5	+4,5	
Valeurs de commutation	„aus“	-31,0	-13,5	
	(„abtauen“ od.)	„alarm“		
Füllmenge/Fill.quantity/Charge	R12	g	240	
Anschlußwert/Conn.load/Puiss. connectée		W	150	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance	Ω	8800 ± 530		
Leistung/Power/Puissance	W	5		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance	Ω	285 ± 28		
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance	Ω			
Spannung/Voltage/Tension	V			