







Gebrauchsanweisung
52 3813
(D,GB,F,I,NL,E,P)
58 0973
(DK,N,SF,S)
Montageanleitung
58 0241
(D,GB,F,I,NL,DK,N
SF,S,E,P,TR,GR)

Beistellsatz
26 5629


Side by Side
Beistellsatz zu KSR/KSK
48 1044

Gefrierraumteiler
35 3678

1) 17 1455
2) 17 1454



Mat. – Nr. – Konstante
3740



Pos.	V01		
	Danfoss		
	NLY 13K		
1	14 1747		
2			
3	15 1055		
4			
5	15 0760		
6	15 1072		
7			
8	35 5493		
9	05 0166		
10			
11	09 6212		
12	05 6008		

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Danfoss		
Typ/Type		NLY 13 K		
Förderleistung/Delivery/Débit		l/h	2637	
Anlaufstrom/Starting current/Cour. de démarrage		A	11,3	
Widerstand/Resistance/Résistance		Ha/main/prin. Ω	11,0	
		Hi/aux Ω	9,0	
Temp.-Regler/Thermostat		RCO K59		
Typ/Type		KER		
Reglerstellung/Position		kalt warm		
Schaltwerte/Switching values/		„ein“ $^{\circ}\text{C}$	+4,5	+4,5
Valeurs de commutation		„aus“	-32,0	-21
		(„abtauen“ od.)	„alarm“	
Füllmenge/Fill.quantity/Charge		R600a	g	*
Anschlußwert/Conn.foad/Puiss. connectée			W	150
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance			Ω	
Leistung/Power/Puissance			W	
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance			Ω	
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance			Ω	
Spannung/Voltage/Tension			V	

* siehe Typenschild