






Ident - Nummern - Konstante
3740

Gebrauchsanweisung
51 7219
(D, GB, F, I, NL, P, N,
S, SF).

Montageanweisung
51 6277
(D, GB, F, I, NL, P, N)

Ident – Nummern – Konstante
3740

Ident – Nummern – Konstante
3740

Pos.	KÜHLGERÄTE
	MATSUSHITA
	D77C15RA
1	14 1288
2	15 0603
3	
4	
5	
6	
7	
8	28 9409
9	05 0166
10	
11	09 3771
12	

TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS		
Verdichter/Compressor/Compresseur/Compresor Typ/Type/Tipo	Matsushita D77C15RA	
Förderleistung/Delivery/Debit/Aspiración l/h	9,24	
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A	10,98	
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	27,7	
Hi/aux.		
Temp.Reyler/Thermostat/Termostato Typ/Type/Tipo	ATEA MANUAL MIN.–MAX.	
Reglerstellung/Position/Conexión	+7°	
Schaltwerte/Switching values/	..ein/conex. °C	-17° -31°
Valeurs de commutation/Desconex.	..aus"/descon.	
(..abtaven' od)	..alarm'	
Füllmenge/Fill. quantily/Charge/Carga 134a	g	155
AnschluBwert/Comm. load/puiss. Connect./Potenc.	W	186
Heizung/Heater/Chauflage/Resistenc.descong.		
Widerstand/Resistance/Resistencia	Ohm	
Leistung/Power/Puissance/Potencia	W	
Ventilador/Blower/Ventilateur/Ventilador		
Widerstand/Resistance/Resistencia	Ohm	
Magnetventil/Magnetic valve/Electrovanne/Electrovalvula		
Widerstand/Resistance/Resistencia	Ohm	
Spannung/Volare/Tension/Tensión	V	
Temp.Reyler/Thermostat/Termostato ambiente para ventilador refrigerador		